

# Pharmacological advantages of Aegle marmelos bark- An Review

Ankit Verma<sup>1</sup>, Dr. Amresh Gupta<sup>2</sup>

Goel Institute of Pharmacy and sciences, Lucknow, India

Submitted: 05-06-2022	Revised: 18-06-2022	Accepted: 27-06-2022		

ABSTRACT- In the field of medicine, medicinal plants are employed in herbal medicine. They provide a simple source of health care in the tribal and rural regions. In this review, an effort is made to gather all the phytochemical as well as pharmacological research conducted on the important medicinal plant Aegle marmelos. A vast array of clinical and experimental studies have proven it is Aegle marmelos has antidiarrheal, antioxidant, antiviral, radio protective and anticancer properties, as well as anti-cancerous, antipyretic, IBD heeling, antifertility, antigen toxic and anti-inflammatory properties. This plant plays a vital role in the prevention and treatment of a wide range of diseases. Thus, it is important to examine its therapeutic qualities to present a complete overview of its current status for scientists as well as ancient. This review also covers the possibility of using this plant in the field of pharmaceuticals because of its broad pharmaceutical activities.

**Keywords:** Herbal Emulgel, Aegle marmelos bark, Anti- inflammatory

## I. INTRODUCTION

Aegle marmelos is among the most therapeuticallyaccepted tree species among the 2.5 lacksnative plant species that inhabit the earth. Aegle marmelosis often referred to as begal-quince in local language; the fruitis called as stone apple.Aegle marmelos is considered as sacred tree in India<sup>1</sup>. Natural resources have provided us with a comprehensive supply of cures for every any ailment that humanity suffers. A majority of the population of the world relies completely or in part, on traditional medicines for its basic health requirements.

Aegle marmelos is commonly referred to as Bael belonging to the family of Rutaceae is extensively utilized in traditional Indian medicine because of its medicinal and therapeutic properties<sup>2</sup>. A. marmelos is widespread in Northern India, but broadly located across in the south East Asia. The A. marmelos is an standard to large-sized deciduous glabrous and armed tree, with upper axillary, 2.6 cm long, alternate trifoliate leaves, a small blossom, and large fruits<sup>3</sup>.Herbal remedies are extensively used and widely well-liked in the developing world. Bael leaves and fruits are utilized for treating dysentery, dyspepsia and malabsorption as well as neurological disorders and vomiting, edema and rheumatism<sup>4</sup>. Alongside the important medicinal benefits, bael has been identified as an essential ingredient for industrial food processing, and is a great source of pharmaceuticals as well as various other essential herbal substances. Bael is being considered to be an under-utilized species of tree fruit throughout South East Asian countries, and its potential economic benefits are still yet to discover<sup>5</sup>.

Aegle marmelos is a moderate-sized tree that is 8-12 meters long with 2.5 centimeter long spines. Leafletsthat is ovate. The flowers are short and have a greenish hue. The shape of the fruit is globose and yellowish-colored with the rind being woody<sup>6</sup>. It's a source of phytochemical compounds, viz. alkaloids, coumarins as well as fatty acids and other essential oils<sup>7</sup>. The species also contains tannins (tannin and the riboflavin) organic acids, the phenolic. They also contain fatty acids, fatty acids, as well as ricinoleic acid<sup>8</sup>.

## 1.1. Ecology and Distribution

In light of the increasing interest of people for natural remedies the natural medical system is getting much more interest than conventional system<sup>9</sup>. Additionally, this method of medicine is non-pollutant and having negligible adverse effects<sup>10</sup>. It is a key component in daily useand having kinds of therapeutic and medicinal effects that are being assessed by the researcher<sup>11</sup>. The majority of the parts of the Bael tree can be used for the preparation of herbal remedies. This plant is significant for religious and ethno medicinal purposes<sup>12</sup>.

The wild tree is found in parched forests in plains and hills of southern and central India, Burma, Pakistan and Bangladesh as well as in dry and mixed deciduous dipterocarp forests. A. marmelos can be described as a subtropical plant<sup>13</sup>. It is widespread throughout India. In many hot regions of India, it can grow up to an altitude of 1200 meters, where temperatures can rise up to



 $49.79^{\circ}$  C in the shade during summer and then drops down to  $-6.68^{\circ}$  C in the winter and extended droughts can occur<sup>14,15</sup>.

Rutaceae includes 1900 species and 158 genera. It is a sub-cosmopolitan species with significant areas of diversity across Southern Africa and Australia and extensivelydispersed across zones of tropical and temperate regions of the modern as well as the older world<sup>16</sup>. In India it is comprised of more than 80 species, mostly found in the subtropical and tropical Himalayas as well as the western peninsular region of India $^{17}$ .

It is found in almost every state of India including Andhra Pradesh, Bihar, Himachal Pradesh, Jammu and Kashmir, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Punjab, Rajasthan, Tamil Nadu, Uttar Pradesh and West Bengal<sup>18</sup>. Especially in West Bengal, there are 13 varieties of fruit in Aegle marmelos, based on the morphology of the fruit<sup>19</sup>.

Sn.	Language	Local Names
1	Burmese	Opesheet, Ohshit
2	English	Bael Fruit, Indian Bael, Holy Fruit, Golden Apple, Elephant Apple, Bengal Quince, Indian Quince, Stone Apple
3	German	Belbaum, Schleimapfelbaum, Baelbaum
4	Gujarati	bili
5	Hindi	baelputri, bela, sirphal, siri-phal, kooralam
6	Indonesian	majabatuh, maja
7	Javanese	modjo
8	Khmer	bnau
9	Lao	Sino-Tibetan
10	Malay	bilak, bel, bila, majapahit
11	Portuguese	marmelos
12	Thai	matum, mapin, tum
13	Vietnamese	trai mam, mbaunau

## **1.2.** Local <u>Names in different languages</u><sup>20,21,22,23</sup>

#### **1.3.** Phytochemical Composition

Sn.	Phytochemicals	Chemical Name
1	Alkaloids <sup>24</sup>	Agelin, aegelenine, marmeline, dictamine, fragrine, O- methylhalfordinine, O- isopentanylhalfordiniol, N-4- methoxy styrylcinnamide



2	Coumarins <sup>25</sup>	Marmelosin, marmesin, imperatorin, marmin, alloimperatorin, methylether, xanthotoxol, scoparone, scopoletin, umbelliferone, psoralen and marmelide.
3	Polysaccharides <sup>26</sup>	Galactose, arabinose, uronic acid and L-rhamnose was obtained on hydrolysis
4	Tannin <sup>27</sup>	Skimmianine. Carotenoids were also reported, which import pale colour to fruit

## II. PHARMACOLOGICAL PROPERTIES

#### **1.4.** Nephroprotective activity

The nephroprotective activity was assessed byDwivedi, J., 2017et al. Theextracts of Aegle marmelos leaves were assesses in the Cisplastin induced model of rat. Cisplastin is the anti-cancer drug which is widely used to assess the activity of the nephrotoxicity. The treatment 200 and 400 mg.kg was given to the animal for at least 5 days. Treatment was assessed by the group of the parameters i.e. blood urea nitrogen (BUN), serum creatinine, and antioxidant enzymes were expected in renal tissues. The extract was showed to be the excellent as per the recovery values.

The Renal anti-oxidants enzymes were redeemed and lipid level was decreased. The increases level of superoxide dismutase and glutathione showed the impalpable recovery in the treated groups. This insures the activity regime was dramatically enhanced and IC<sub>50</sub>were also increased. This shows the activity along with the treatment directly enhances the nephroprotective activity in the experimental animals<sup>28</sup>.

K KJ, S. R., &Jadhav, P. (2011) identified that the extract of the Aeglemarmelos leaves were administrated in to the Wistar rats against the Gentamycin as inducing agent. The results were fairly concluded that serum creatinine and blood urea level decreased as compared to the reference standard. MDA levels and increased GSH and catalase concentration were also decreased in the experimental animals. Thus, it can be concluded that Aeglemarmelos does possess and protect the nephroprotective activity. However, it can also be concluded that the effects were shown in the results could be due to the phytochemicals<sup>29</sup>.

#### **1.5.** Anti-inflammatory activity

The Anti-inflammatory activity was assessed by the Benni, J. M., 2011 et al. The hydrolicextort of the Aeglemarmelos bark was prepared and administered in to the animals. The anti-inflammatory activity was performed in Swiss Albino rats. The inflammation was induced by the Carrageenan.

The Aeglemarmelosactivities were compared with the indomethacin (standard drug). The results showed up as reduction in the inflammation and pain. This model includes the parameters such as hot plate method and tail flick methods. The percentage of the removal of the paw was increased and flicks also improved. The percentage inhibition was recorded as 52.7% and 46%. This PI was more relevant to the standard drug indomethacin<sup>30</sup>.

Rajaram, A., 2018 et al., also examined the effect of the Aeglemarmelos roots extract to analyze the activity on the inflammation. Total 191 extracts were prepared of the Aeglemarmelos young root and matured one. In this study the 44 extracts were showed that Aeglemarmelos does have the potential to block the COX-2 and COX-1 receptor as these are responsible for the nociception.

The study reveals that plants from the Gujarat and Odisha region could be used in Ayurvedic formulations to combat inflammation. The plants need to be properly evaluated for anti-inflammatory properties, and the region in which they are grown is an important factor<sup>31</sup>.



#### 1.6. Antimicrobial Activity

The antimicrobial activity was analyzed by Balakumar, S., 2011 et al. In vitro antifungal activity was evaluated in isolates of dermatophytic fungi like Trichophytonmentagrophytes, Trichophytonrubrumetc.The fungicidal activity of various extracts and fractions of Aegle marmelos leaves was tested against dermatophytic fungi. The minimum inhibitory concentration was found to be minimal in water and ethyl alcohol extracts, moderate in methanol fractions (200µg/mL), and maximum in chloroform (200µg/mL) extracts.

Aegle marmelos leaves suggestivelyrepressed the growth of fungi. If research on the compound is confirmed in vivo and if it can be isolated and recognized, it possibly will be a therapy for dermatophytosis<sup>32</sup>.

Poonkothai, M., &Saravanan, M. (2008) Examined that extracts in the various extractors such as organic solvents and inorganic of the diffrents parts of the plant could possibly have the antibacterial activities. This study was performed with the help of disc submerge method against the gram positive and gram negative bacteria. The outcome showed that organic extracts of the A. Marmelos of the leaves and roots were significantly reduced the amount of the colonies of the different bacteria. A. marmelos extracts were more prominently worked in the gram positive bacteria<sup>33</sup>.

#### 1.7. Anticancer Activity

Antioxidant properties of this plants are helpful and reducing the super oxides from the body. The targeted anti-oxidant therapies are much better than any cancer-radiation therapy because it is not painful as well as it acts on the targeted cells. It enhances the ability of the cells to grow and sustain in the chemical environment by not reducing in to the metabolites. In some cases, it has been seen that antioxidants even reduces the cells death by nercosis the chemical induced death of the cells.

Chockalingam, V., 2012 et al., in one of his studySwiss albino mice were used to exhibit the tumor growth by inserting the tumor cells under the skin. A. marmelos extract in ethanol were used as the test item and administered intraperitoneally in the animals. The doses were administered at the 200 and 400 mg/kg daily for the 1 month before inserting the tumor cells in the animals. Histopathology results revealed that the 50% ethanolic extract of the A. marmelos could possibly inhibit the growth of the tumor cells in the experimental animals. Results showed that the body weight also stagnant at after 15 days of the dosing. This could be the possibly by the A. marmelos antioxidant activities  $^{34}$ .

Seemaisamy, R., 2019 et al., investigated that the administration of Administration of the Aegle marmelos could possibly down the regulation of the several pyridoxal phosphatedependent transaminase enzymes such as the Alanine Aminotransferase (ALAT), Aspartate Aminotransferase (ASAT), and alkaline phosphatase. The anti-cancer properties are lying behind the presence of the phenolic compound in the leaves of Aegle marmelos. These characteristics was brought down with the help of the gas chromatography, it was defined by the presence of the thiosulfates in the extract.

All these extracts were tested for antibacterial properties. Acetone was found to elicit maximum growth inhibition on bacteria Serratiamarcescens, giving it a profound antibacterial activity. Methanol extract of A. marmelos elicited cytotoxicity that highly affected MDA-MB-231, HEP-2 and Vero cells. MDA-MB-231 cells were more sensitive to Acetone Extracts than HEP-2 cells with an IC50 value 79.62 µg/ml<sup>35</sup>.

## 1.8. Antioxidant activity

Antioxidantproperties of the Aegle marmelos were analyzed by the Rajan, S., 2011 et al. The pulp of the Aegle marmelos extracted and subjected to the phytochemical screening. The pulp have been using for the several years in the treatment of the gastrointestinal diseases and for the function smooth function of the body. Among these Anti-oxidant properties of the Aegle marmelos were more significant when it was examined through the in vitro studies. The study impeccable showed the results in  $IC_{50}$ determination and phytochemical screening of the different phytochemicals. This revealed that, it has adequate amount of the saponins, alkaloids, flavonoids, tannins and steroids and this could be the reason for its anti-oxidant properties $^{36}$ .

Rautela, R., 2018 et al., examined that Aegle marmelos leaf extract effects were seen in the dairy cows when it given daily by oral route. Different parameters such as malondialdehyde (MDA), ascorbic acid (ASCA), reduced glutathione (R-GSH), superoxide dismutase (SOD), and total antioxidant capacity (TAC) were analyzed during the study. Results showed that the MDA quantity was decreased drastically and ASCA and R-GSH concentrations and TAC increased. It can be concluded with the results that it does have antioxidant activity<sup>37</sup>.



## 1.9. Antidiabetic Activity

Ahmad, W., 2021 et al., examined that Aegle marmelos does have the Antidiabetic Activity which could be by the various kinds of the phytochemicals presents in the whole plants. In vitro studies were performed to examine its effects on the blood glucose level and cytotoxicity. HepG2 cells were taken and grown in the culture media at the controlled temperature. The cells were grown at the maximum confluency. The test item were mixed with together with the solvent and exposed to the cells. The enzymes  $\alpha$ -amylase and  $\alpha$ glycosidase were found to be substantially inhibited by A. marmelos, with IC50 values of 46.21 and 42.07 mg/mL, respectively. It could be concluded that Aegle marmelos could control the blood glucose level as well as it can regulates the intake of the glucose in the cells $^{38}$ .

Mustafa, S. B., 2019 et al., studied that Aegle marmelos could potentially inhibit and regulate glucose inside the body. The study was performed in the alloxan induces diabetic mice. The drug was administered in the body by the oral route and blood glucose levels were checked every day to look out the fluctuations. It was showed in the results that the extract of the Aegle marmelos could possibly regulate the level of the fasting blood glucose (P < .05). The extract showed the regulating the glucose level was dose dependent<sup>39</sup>.

## III. CONCLUSION

Indigenous fruit trees are a growing way of providing food, drugs, and other products to those in desperate need. Bael is particularly useful in this regard due to its many benefits. Cultivating Bael plants is a good idea which should not be overlooked.This improvement could ultimately have a ripple effect through the increased production and enhanced profit of Bael as an important cash crop, as it develops the nascent value-added industries in rural areas.

#### REFERENCES

- [1]. Venthodika, A., Chhikara, N., Mann, S., Garg, M. K., Sofi, S. A., &Panghal, A. (2021). Bioactive compounds of Aegle marmelos L., medicinal values and its food applications: A critical review. Phytotherapy Research, 35(4), 1887-1907.
- [2]. Sarkar, T., Salauddin, M., &Chakraborty, R. (2020). In-depth pharmacological and nutritional properties of bael (Aegle marmelos): A critical review. Journal of Agriculture and Food Research, 2, 100081.

- [3]. Manandhar, B., Paudel, K. R., Sharma, B., &Karki, R. (2018). Phytochemical profile and pharmacological activity of Aegle marmelos Linn. Journal of integrative medicine, 16(3), 153-163.
- [4]. Vijeata, A., Chaudhary, G. R., Umar, A., &Chaudhary, S. (2021). Distinctive solvatochromic response of fluorescent carbon dots derived from different components of Aegle marmelos plant. Engineered Science, 15, 197-209.
- [5]. Ezhilarasi, A. A., Vijaya, J. J., Kaviyarasu, K., Kennedy, L. J., Ramalingam, R. J., & Al-Lohedan, H. A. (2018). Green synthesis of NiO nanoparticles using Aegle marmelos leaf extract for the evaluation of in-vitro cytotoxicity, antibacterial and photocatalytic properties. Journal of Photochemistry and Photobiology B: Biology, 180, 39-50.
- [6]. Sahu, U. K., Sahu, S., Mahapatra, S. S., & Patel, R. K. (2019). Synthesis and characterization of magnetic bio-adsorbent developed from Aegle marmelos leaves for removal of As (V) from aqueous solutions. Environmental Science and Pollution Research, 26(1), 946-958.
- [7]. Akhouri, V., Kumari, M., & Kumar, A. (2020). Therapeutic effect of Aegle marmelos fruit extract against DMBA induced breast cancer in rats. Scientific Reports, 10(1), 1-12.
- [8]. Devi, M., Devi, S., Sharma, V., Rana, N., Bhatia, R. K., & Bhatt, A. K. (2020). Green synthesis of silver nanoparticles using methanolic fruit extract of Aegle marmelos and their antimicrobial potential against human bacterial pathogens. Journal of traditional and complementary medicine, 10(2), 158-165.
- [9]. Sampath, G., Govarthanan, M., Rameshkumar, N., Vo, D. V. N., Krishnan, M., Sivasankar, P., &Kayalvizhi, N. (2021). Eco-friendly biosynthesis metallic silver nanoparticles using Aegle marmelos (Indian bael) and its clinical and environmental applications. Applied Nanoscience, 1-12.
- [10]. Maity, P., Hansda, D., Bandyopadhyay, U., & Mishra, D. K. (2009). Biological activities of crude extracts and chemical constituents of Bael, Aegle marmelos (L.) Corr.
- [11]. Sharma, G. N., Dubey, S. K., Sharma, P., & Sati, N. (2011). Medicinal values of bael (Aegle marmelos)(L.) Corr.: A review. Int J Curr Pharm Rev Res, 2(1), 12-22.



- [12]. Neeraj, V. B., &Johar, V. (2017). Bael (Aegle marmelos) extraordinary species of India: a review. Int. J. Curr. Microbiol. Appl. Sci, 6(3), 1870-1887.
- [13]. Badam, L., Bedekar, S., Sonavane, K. B., & Joshi, S. P. (2002). In vitro antiviral activity of bael (Aegle marmelosCorr) upon. J. commun. Dis, 34(2), 88.
- [14]. Bag, S. K., Srivastav, P. P., & Mishra, H. N. (2011). Optimization of process parameters for foaming of bael (Aegle marmelos L.) fruit pulp. Food and bioprocess technology, 4(8), 1450-1458.
- [15]. Bag, S. K., Srivastav, P. P., & Mishra, H. N. (2011). Optimization of process parameters for foaming of bael (Aegle marmelos L.) fruit pulp. Food and bioprocess technology, 4(8), 1450-1458.
- [16]. Rana, B. K., Singh, U. P., &Taneja, V. (1997). Antifungal activity and kinetics of inhibition by essential oil isolated from leaves of Aegle marmelos. Journal of ethnopharmacology, 57(1), 29-34.
- [17]. Mali, S. S., Dhumal, R. L., Havaldar, V. D., Shinde, S. S., Jadhav, N. Y., &Gaikwad, B. S. (2020). A systematic review on Aegle marmelos (Bael). Research Journal of Pharmacognosy and Phytochemistry, 12(1), 31-36.
- [18]. Sharma, P. C., Bhatia, V., Bansal, N., & Sharma, A. (2007). A review on Bael tree.
- [19]. Singh, A., Sharma, H. K., Kaushal, P., &Upadhyay, A. (2014). Bael (Aegle marmelos Correa) products processing: A review. African journal of food science, 8(5), 204-215.
- [20]. Misra, K. K., Rajesh, S., &Jaiswal, H. R. (2000). Performance of bael (Aegle marmelos) genotypes under foot-hills region of Uttar Pradesh. Indian Journal of Agricultural Sciences, 70(10), 682-683.
- [21]. Barthakur, N. N., & Arnold, N. P. (1989). Certain organic and inorganic constituents in bael (Aegle marmelos Correa) fruit. Trop Agric, 66(1), 65-68.
- [22]. Neeraj, V. B., &Johar, V. (2017). Bael (Aegle marmelos) extraordinary species of India: a review. Int. J. Curr. Microbiol. Appl. Sci, 6(3), 1870-1887.
- [23]. Singh, A., Sharma, H. K., Kaushal, P., &Upadhyay, A. (2014). Bael (Aegle marmelos Correa) products processing: A review. African journal of food science, 8(5), 204-215.

- [24]. Baliga, M. S., Thilakchand, K. R., Rai, M. P., Rao, S., &Venkatesh, P. (2013). Aegle marmelos (L.) Correa (Bael) and its phytochemicals in the treatment and prevention of cancer. Integrative cancer therapies, 12(3), 187-196.
- [25]. Ruhil, S., Balhara, M., Dhankhar, S., &Chhillar, A. K. (2011). Aegle marmelos (Linn.) Correa: A potential source of Phytomedicine. Journal of Medicinal Plants Research, 5(9), 1497-1507.
- [26]. Ruhil, S., Balhara, M., Dhankhar, S., &Chhillar, A. K. (2011). Aegle marmelos (Linn.) Correa: A potential source of Phytomedicine. Journal of Medicinal Plants Research, 5(9), 1497-1507.
- [27]. Manandhar, B., Paudel, K. R., Sharma, B., &Karki, R. (2018). Phytochemical profile and pharmacological activity of Aegle marmelos Linn. Journal of integrative medicine, 16(3), 153-163.
- [28]. Dwivedi, J., Singh, M., Sharma, S., & Sharma, S. (2017). Antioxidant and nephroprotective potential of Aegle marmelos leaves extract. Journal of Herbs, Spices & Medicinal Plants, 23(4), 363-377.
- [29]. K KJ, S. R., &Jadhav, P. (2011). RP-HPLC method of simultaneous nephroprotective role of A. marmelos extract. International journal of research in pharmacy and chemistry, 1(3), 617-623.
- [30]. Benni, J. M., Jayanthi, M. K., &Suresha, R. N. (2011). Evaluation of the antiinflammatory activity of Aegle marmelos (Bilwa) root. Indian journal of pharmacology, 43(4), 393.
- [31]. Rajaram, A., Vanaja, G. R., Vyakaranam, P., Rachamallu, A., Reddy, G. V., Anilkumar, K., ...&Reddanna, P. (2018). Antiinflammatory profile of Aegle marmelos (L) Correa (Bilva) with special reference to young roots grown in different parts of India. Journal of Ayurveda and integrative medicine, 9(2), 90-98.
- [32]. Balakumar, S., Rajan, S., Thirunalasundari, T., &Jeeva, S. (2011). Antifungal activity of Aegle marmelos (L.) Correa (Rutaceae) leaf extract on dermatophytes. Asian Pacific Journal of Tropical Biomedicine, 1(4), 309-312.
- [33]. Poonkothai, M., &Saravanan, M. (2008). Antibacterial activity of Aegle marmelos against leaf, bark and fruit extracts. Ancient science of life, 27(3), 15.



- [34]. Chockalingam, V., Kadali, S. S., &Gnanasambantham, P. (2012). Antiproliferative and antioxidant activity of Aegle marmelos (Linn.) leaves in Dalton's Lymphoma Ascites transplanted mice. Indian journal of pharmacology, 44(2), 225.
- [35]. Seemaisamy, R., Faruck, L. H., Gattu, S., Neelamegam, R., Bakshi, H. A., Rashan, L., ...&Nagarajan, K. (2019). Anti-Microbial and Anti-Cancer Activity of Aegle marmelos and Gas Chromatography Coupled Spectrometry Analysis of Their Chemical Constituents. Int. J. Pharm. Sci. Res, 10(1), 373-380.
- [36]. Rajan, S., Gokila, M., Jency, P., Brindha, P., &Sujatha, R. K. (2011). Antioxidant and phytochemical properties of Aegle marmelos fruit pulp. Int J Curr Pharm Res, 3(2), 65-70.
- [37]. Rautela, R., Das, G. K., Khan, F. A., Prasad, S., Kumar, A., Prasad, J. K., ...&Srivastava, S. K. (2018). Antibacterial, antiinflammatory and antioxidant effects of Aegle marmelos and Murrayakoenigii in dairy cows with endometritis. Livestock Science, 214, 142-148.
- [38]. Ahmad, W., Amir, M., Ahmad, A., Ali, A., Ali, A., Wahab, S., ...&Alam, P. (2021). Aegle marmelos Leaf Extract Phytochemical Analysis, Cytotoxicity, In Vitro Antioxidant and Antidiabetic Activities. Plants, 10(12), 2573.
- [39]. Mustafa, S. B., Akram, M., Muhammad Asif, H., Qayyum, I., Hashmi, A. M., Munir, ...& N.. Ahmad. S. (2019). activity Antihyperglycemic of of hydroalcoholic extracts selective longa, medicinal plants Curcuma Lavandulastoechas, Aegle marmelos, and Glycyrrhizaglabra and their polyherbal preparation in alloxan-induced diabetic mice. Dose-Response, 17(2), 1559325819852503.