International Journal of Pharmaceutical Research and Applications
Volume 10, Issue 3 May-June 2025, pp: 1720-1727 www.ijprajournal.com
ISSN: 2456-4494

"Inflammation and Its Modulation: Mechanisms, Disease Associations, and Future Therapeutic Directions"

Dev Prakash Dahiya, Jyoti Thakur*, Bipasha, Anchal Sankhyan
School of Pharmacy, Abhilashi University, Chail-Chowk, Mandi, Himachal Pradesh, India-175028

Date of Submission: 15-06-2025 Date of Acceptance: 25-06-2025

ABSTRACT: Inflammation is a critical immune response that facilitates survival in the event of infection and tissue damage. It involves complex cellular and molecular events, including increased vascular permeability, immune cell recruitment, apoptosis, and tissue regeneration.Acute inflammatory responses, triggered by stimuli such as ischemia, trauma, or infection, are essential for restoring tissue homeostasis. However, when inflammation is excessive or unresolved, it contributes to the pathogenesis of various chronic conditions including metabolic syndrome, cardiovascular disorders, and neurodegenerative conditions.In fact, our well-being and survival depends upon its efficiency and carefully-balanced control. In general, the innate inflammatory response initiates within minutes and, if all is well, resolves within hours. In contrast, chronic inflammation persists for weeks, months or even years. The review examines the underlying mechanisms, disease associations, current treatment limitations, and emerging anti-inflammatory strategies, including metabolic reprogramming, gene regulation via microRNAs, and nanotechnology based drug delivery systems.

KEYWORDS: Inflammation, Acute inflammation, Chronic inflammation, Immune system, Cytokines, Myocardial infarction, Metabolic syndrome, neurodegenerative disease, Parkinson's disease, Cytokines, Anti-inflammatory therapies, NSAIDs, Macrophage polarization, Metabolic reprogramming.

I. INTRODUCTION:

Inflammation is a general biological reaction to injury or infection of tissue, may be triggered by disease or by contact with a toxic substance. [1] It is a dynamic phenomenon involving an interaction among multiple kinds of cells, such as b lymphocytes, T lymphocytes, myeloid cells, epithelial cells, fibroblasts, endothelial cells, muscle cells and adipocytes, with each other through membrane-associated molecules, matrix metalloproteinases (MMPs) and soluble factors, such as cytokines, chemokines and growth factors.[2] It may arise from many reasons, it can be triggered by diverse causes including microbial infections, physical trauma, or chemical irritants, exposure to foreign particles/irritants/pollutants are also potent activators of inflammation ,[3] suggesting that this response likely evolved as a general adaptation for coping with damaged or malfunctioning tissue.[4] Wounds, bruises, blisters and fractures are all instances of physical strain that can harm tissues and trigger an inflammatory response. It is a protective mechanism that aims to destroy or isolate the underlying source of the disturbance, remove damaged tissue, and then restore tissue homeostasis.[5] The etiologies for inflammation are varied ranging from microbial infections (infections by bacteria, virus, fungi, etc.), physical agents (like burns, stress, trauma from cuts, radiation), and chemicals (drugs, toxins, alcohol) to immunologic reactions (e.g., rheumatoid arthritis). Inflammation involves the influx of various cells of the host immune system and release of numerous mediators to the site of assault[6,7,8]

TYPES:

ACUTEvs. CHRONIC INFLAMMATION

Acute inflammation: Acute inflammation is a component of natural response of the body whichshows a significant impact on tissue damage or foreign agents. Inflammatory processes are self-limiting and self-resolving under healthy circumstances, indicating the presence of endogenous mechanisms for inflammation and resolution regulation. [9,10] It is achieved by the increased movement of plasma and leukocytes (in particular granulocytes) from the blood into the injured tissues. It causes pain of a sore throat, discoloured or flushed skin, pain and tenderness that should be mild only at the area of injury, heat, redness, swelling or the itching of an insect bite. Tissue destruction can occur when the regulatory mechanisms of the inflammatory response are defective or have the ability to clear demaged tissue. [11]

Chronic inflammation: Chronic inflammation may result from acute injury i.e; Long-term tissue demage, caused by cell death, cell necrosis, lasting months or even years. [12] Unlike acute inflammation, which resolves after eliminating the initial threat, chronic inflammation ischaracterized by persistent immune cell activation, simultaneous tissue destruction and repair, and fibrosis. Common chronic inflammatory disease includes: T2DM,Cardiovascular disease, Rheumatoid arthritis, Psoriasis, Inflammatory bowel diseases like Crohn's disease or ulcerative colitis allergies, and chronic obstructive pulmonary disease [13]



CAUSES OF INFLAMMATION:

1. **Infections(bacteria, fungi, and viral):**Pneumonitis may be caused through an infection of some kind that triggers inflammation of the lungs. The body fights against these pathogens by activating the immune system.

- **Infections and Inflammations from Bacteria:**Microorganisms, called bacteria, can cause infections when they amplify reproduction and generate new toxins. The body reacts by, dispatching white blood cells to get rid of the germs. Examples: Sour Throat,

International Journal of Pharmaceutical Research and Applications
Volume 10, Issue 3 May-June 2025, pp: 1720-1727 www.ijprajournal.com
ISSN: 2456-4494

(UTI) Urinary Tract Infections, Bacterial Pneumonia. [14]

- **Influenza and Viral infections:**These include even more minute organisms, known as viruse, that invade host cells using the cell's machinery to reproduce. Infected cells get the attention of the immune system, which result in inflammation. Examples of Viral infections includes: Influenza (Flu), COVID-19, Hepatitis A B and C.[15]
- **Yeast infections and inflammation:**The opportunistic pathogens can lead to infection known as fungi that can especially infect those with lower immunity. These types of infections are known to cause chronic and persistent inflammation. Example of these inculdes: Candidasis (Yeast Infection), Aspergillosis, Ringworm (Tinea). [16]

2. **Auto Immune disorder (Lupus, Multiple Sclerosis):**These two disorders can lead to inflammation. Blotches of inflammation on the skin alongside other tissues depict Multiple Sclerosis (MS) while lupus is an example of autoimmune disorder too.Multiple sclerosis includes clinicallyisolated syndrome (CIS), relapsing-remitting MS (RRMS), secondary progressive MS (SPMS), primary progressive MS (PPMS), and radiologically isolated syndrome (RIS). [17,18]

It involves:

- Problems associated with vision like double vision or optic neuritis, which is inflammation of the optic nerve and causes pain during eye movement as well as loss of vision.
- Weaker muscles, especially in the legs and arms, along with painful muscle spasms and stiffening of the muscles.
- Tingling, numbness, or discomfort in the limbs as well as parts of the torso and face.
- General lack of coordination especially in maintaining balanced movements while walking.
- Difficulties with bladder control.

3. **Environmental toxins (pollutions, chemical, smoking):**Environmental toxins such as pollution, chemicals, and cigarette smoke, have the potential to contribute greatly to inflammation in the body by stimulating immune responses, inducing oxidative stress, and directly harming cells, resulting in chronic inflammatory disease in different organs, most notably the lungs and cardiovascular system; this is mainly because of the existence of harmful compounds in these toxins that have the potential to activate inflammatory pathways in the body.[19]

- **Air pollution:** Particulate matter (PM) in air pollution can cause direct irritation to lung tissue leading to inflammation leading to worsening ofrespiratory diseases such as asthma and oxidative damage to DNA.[20]
- **Heavy metals (lead, mercury, cadmium):** Heavy metals have the ability to accumulate within the body and cause oxidative stress, resulting in inflammation in several organs such as the kidneys and liver.[21]
- **Cigarette smoke:**Comprises several hundred c hemicals such as tar and nicotine that directly harm lung tissue and induce inflammation, raising the risk of COPD and lung cancer.[22]

4. **Unhealthy diet (processed food, excessive sugar consumption):**Over the years, with more studies exploring the relationship between high sugar diet and inflammation, individuals have discovered that excessive consumption of sugar has direct association with the develop ment of low-grade chronic inflammation and autoimmune disease Low-grade chronic has been implicated in obesity and increasing body fat for many years, and excess dietary consumption of sugar is an important factor in obesity and weight gain.[23]
5. **Chronic stress (initiate inflammatory pathway):** Chronic stress may initiate inflammatory response within the body, thus causing numerous conditions. Stress could activate via Sympathetic Nervous System (SNS) to release noradrenaline stimulating the "fight or flight" response and Neuropeptide Y (NPY), these two stress hormones also enable

International Journal of Pharmaceutical Research and Applications
Volume 10, Issue 3 May-June 2025, pp: 1720-1727 www.ijprajournal.com
ISSN: 2456-4494

the phosphorylation of Mitogen-Activated Protein Kinases (MAPKs) or High Mobility Group Box 1 (HMGB1) release, thus initiating systematic inflammation (IL-6, CRP) to promote CVD development. [24]

Sign& Symptoms:

- Redness, swelling, pain, warmth, and loss of function.
- Systemic/Chronic: Discoloured or flushed skin, chronic fatigue, brain fog, fever, joint pain or stiffness, muscle pain or weakness, weight gain or loss, frequent infection, mood disturbances (e.g., anxiety, depression).

LINK BETWEEN INFLAMMATION AND CHRONIC DISEASE

Inflammation in Cardiovascular Disease

1. **Myocardial Infarction (MI) and Inflammation:**A myocardial infarction (MI), sometimes referred to as a "heart attack," occurs when blood flow to a section of the myocardium is reduced or stops entirely. Myocardial infarction (MI) or heart attack is typically brought on by the rupture of atherosclerotic plaque, which also causes thrombosis (the formation of blood clots) and stops oxygen-rich blood flow to the heart muscle[25]. Neutrophils and macrophages infiltrate the damaged heart tissue as part of the inflammatory response that is triggered by heart muscle cells following MI. In order to help immunocytes like macrophages infiltrate and remove the damaged cardiomyocytes, these cells release inflammatory cytokines, reactive oxygen species, and proteases.This inflammation can damage cardiomyocytes (heart muscle cells) and impair cardiac function in the early hours to days which can lead to heart failure. [26,27]

Resolution of Inflammation and Repair: Macrophages could also release pro-inflammatory cytokines and pro-angiogenic factors to promote angiogenesis and cardiac regeneration. The repair stage is characterized by the activation of fibroblasts fibrosis by releasing growth factors (e.g., TGF-β, VEGF) to myofibroblasts, accompanied by collagen matrix deposition and scar formation. Since inflammation is not properly resolved, it can lead to excessive scar formation (fibrosis), impairing the heart’s ability to contract and increasing the risk of heart failure.[28]

International Journal of Pharmaceutical Research and Applications
Volume 10, Issue 3 May-June 2025, pp: 1720-1727 www.ijprajournal.com
ISSN: 2456-4494

Mechanism:



Inflammation in metabolic disorder:

Insulin resistance, abdominal obesity, dyslipidaemia, hypertension, and hyperglycaemia are all hallmarks of metabolic syndrome, a complex illness. It increases the risk of stroke, chronic kidney disease, non-alcoholic fatty liver disease, cardiovascular disease, and type-2 diabetes. [29]

1. **In Type 2 Diabetes Mellitus (T2DM)**:Type 1, type 2, and gestational diabetes are the three main forms of diabetes mellitus. The autoimmune disease known as type 1 diabetes is typified by the selective death of the islet β-cells in the pancreas, which secrete insulin. Type-2 diabetes, a complex metabolic disease primarily caused by insulin resistance, makes up 90–95% of all cases of diabetes worldwide. When the body can produce insulin but cells are unable to use it effectively, this is known as insulin resistance. Pregnancy-related hormones or inadequate insulin production can cause gestational diabetes, which affects 3–8% of expectant mothers. [30,31]

Pathogenesis: In T2DM, inflammation is a key contributor to the development of insulin resistance and beta-cell dysfunction. Pro-inflammatory cytokines such as TNF-α, IL-1β, and IL-6 interfere with insulin receptor signalling, inhibiting glucose uptake and increasing blood sugar levels. Chronic inflammation also contributes to the dysfunction of insulin-producing pancreatic beta cells, accelerating disease progression. [32]

International Journal of Pharmaceutical Research and Applications
Volume 10, Issue 3 May-June 2025, pp: 1720-1727 www.ijprajournal.com
ISSN: 2456-4494

Mechanism:



CURRENT ANTI- INFLAMMATORY TREATMENTS:

Current anti-inflammatory treatments primarily on Non-steroidal Anti-inflammatory Drugs (NSAIDs) like ibuprofen and naproxen, along with corticosteroids for more severe conditions. NSAID affect the gastric mucosa, renal system, cardiovascular system, hepatic system, and hematologic system. [33]

Corticosteroids: Anti-inflammatory agents which supress inflammatory pathways by inhibiting cytokines, prostaglandin, Long term use may cause osteoporosis, muscle wasting.

Disease modifying anti-rheumatic drugs like methotrexate & sulfasalazine are mainly used. Limitations may result in delayed onset of action, potential liver and bone marrow toxicity etc.[34]

Biological agents such as TNF-α inhibitors (e.g., infliximab, etanercept) and interleukin blockers target specific immune pathways involved in chronic inflammation. Limitations includes risk of serious infection and malignancies, development of resistance or neutralizing antibodies.

EMERGING PATHWAY IN INFLAMMATION MODULATION:

1. **Inflammatory resolution:**Mechanisms and Failures in Chronic Inflammation: Failure to resolve inflammation leads to chronic inflammation, which is implicated in a variety of diseases, including autoimmune disorders, cardiovascular disease, and cancer. Understanding the mechanisms of inflammatory resolution is essential for developing strategies to promote the return to homeostasis after inflammation. Resolution in inflammation is an active process, not merely the cessation of pro-inflammatory signals. It involves the clearance of dead cells, suppression of pro-inflammatory cytokines, and restoration of tissue integrity. This is regulated by a variety of signaling pathways that actively promote healing.
2. **Inflammatory Metabolic Reprogramming:**The Warburg Effect and Other Factors:The phenomenon known as metabolic reprogramming occurs when immune cells, such as T-cells and macrophages, modify their metabolic functions to satisfy the energy requirements of inflammation. The Warburg effect, in which cells switch from oxidative phosphorylation to glycolysis even when oxygen is present, is a well-known example. This change in metabolism is essential for maintaining inflammation.

Macrophage Polarization: Depending on whether they are polarized into pro-inflammatory (M1) or anti-inflammatory (M2) states, macrophages display different metabolic profiles. While M2 macrophages favor oxidative phosphorylation, M1 macrophages primarily rely on glycolysis to produce ATP and facilitate the production of inflammatory cytokines.

T-cell activation: Metabolic reprogramming is another process that activated T-cells, particularly

International Journal of Pharmaceutical Research and Applications
Volume 10, Issue 3 May-June 2025, pp: 1720-1727 www.ijprajournal.com
ISSN: 2456-4494

Th1 and Th17 subsets, go through. During inflammation, these cells preferentially use glycolysis to promote fast proliferation and cytokine production.

Warburg Effect: To meet the higher energy requirements for cytokine production, cell proliferation, and tissue remodelling during inflammation, immune cells increase glucose metabolism.

Focusing on Metabolic Routes: Inhibiting key metabolic enzymes such as hexokinase, lactate dehydrogenase, or pyruvate dehydrogenase kinase is being investigated as a strategy to shift immune cells away from pro-inflammatory states and reduce chronic inflammation. Drugs targeting glycolytic flux may prevent the overactivation of macrophages and other immune cells.

Metabolic Inhibitors in Cancer: Since the Warburg effect is prominent in cancer cells, targeting glycolysis can be a potential dual-purpose strategy for both cancer and inflammation treatment.

3. **Nanomedicine:**Anti-inflammatory medications can be delivered directly to inflammatory tissues using nanoparticles, increasing their effectiveness and lowering systemic side effects. For diseases like rheumatoid arthritis and inflammatory bowel disease, nanomedicines that target inflammatory pathways have been developed. [35]
4. **MicroRNA and Gene Expression Regulation :**MicroRNAs (miRNAs) are small, non-coding RNAs that regulate gene expression post-transcriptionally by binding to complementary sequences on target mRNAs. They are involved in regulating various biological processes, including immune responses and inflammation. MiRNAs act as fine-tuners of inflammatory responses by either promoting or suppressing the expression of inflammatory genes. [36,37]

miRNA in Inflammatory Cells: A variety of miRNAs can alter the production of cytokines and are either upregulated or downregulated in response to inflammatory signal. E

miR-155: The expression of proinflammatory cytokines like TNF-α and IL-6 is increased by this inflammation-related miRNA in autoimmune diseases, miR-155 can be targeted to reduce excessive inflammation.

miRNA-146a: contributes to the negative regulation of inflammation by targeting important signaling molecules involved in TLR signaling, including TRAF6 and IRAK1,

Future potential for Therapy: The use of miRNA mimics or inhibitors (antagomirs) to control inflammation is gaining traction. For example, inflammation may be decreased by blocking miR-21, which is upregulated in diseases like rheumatoid arthritis (RA).

Delivery via exosomes: Since miRNAs remain stable in exosomes, these vesicles can serve as organic delivery vehicles for modulating inflammation on targeted sites.

II. CONCLUSION:

Both health and disease are influenced by inflammation, which is beneficial for tissue repair and host defense but harmful when dysregulated or left unchecked. Acute inflammation usually goes away with healing, but chronic inflammation is the root cause of many contemporary illnesses, such as metabolic syndrome, autoimmune diseases, cardiovascular disorders, and neurodegenerative conditions. Although they relieve symptoms, current treatment options like NSAIDs, corticosteroids, and biologics are frequently constrained by adverse effects, insufficient efficacy, and unfavorable long-term results.

New approaches that use microRNAs to target immune cell metabolism, the resolution phase of inflammation, and gene regulation present encouraging substitutes that go beyond suppression and toward actual immune modulation. The development of anti-inflammatory drugs is also changing due to developments in cell-based therapies, nanomedicine, and artificial intelligence, which allow for more specialized and long-lasting treatments.

Future studies should concentrate on resolving issues with these innovative therapies' long-term safety, delivery, and specificity. In a variety of chronic inflammatory diseases, combining methods from immunology, metabolic reprogramming, and nanotechnology can result in more potent therapies with fewer adverse effects, ultimately improving patient outcomes. As time goes on, developing safe, efficient, and individualized therapeutic interventions for inflammatory diseases will require a greater comprehension of the intricate regulatory mechanisms of the immune system.

REFERENCES:

[1]. Dev Prakash Dahiya, Shalu Bharti, Shivani Sharma, Formulation and evaluation of polyherbal gel for anti-inflammatory activity, International Journal Of Creative Research and Thoughts 12(4): a764-a768, April 2024 [Research gate]

[2]. Swati Modgil, Dev Prakash Dahiya, Synthesis and assessment of a novel polyherbelemulgel: Investigating its antimicrobial and anti-inflammatory properties,Biochemical and Cellular Archives 24(1), January 2024, DOI:10.51470/bca.2024.24.1.38.[Research gate]

[3]. Medzhitov R. 2008. Origin and physiological roles of inflammation. Nature 454:428–35

[4]. Matzinger P. 2002. The danger model: a renewed sense of self. Science 296:301–5

[5]. Soehnlein O, Lindbon L. 2010. Phagocyte partnership during the onset and resolution of inflammation. Nat. Rev. Immunol. 10:427–39

[6]. Ansar W, Ghosh S (2013) C-reactive protein and the biology of disease. Immunol Res 56(1):131–142. doi:10.1007/s12026-013-8384-0Article CAS PubMed Google Scholar

[7]. Ansar W, Bandyopadhyay SM, Chowdhury S, Habib SH, Mandal C (2006) Role of C-reactive protein in complement mediated hemolysis in Malaria. Glycoconj J 23(3–4):233–240

[8]. Alfaro, S.; Acuña, V.; Ceriani, R.; Cavieres, M.F.; Weinstein-Oppenheimer, C.R.; Campos-Estrada, C. Involvement of Inflammation and Its Resolution in Disease and Therapeutics. Int. J. Mol. Sci. 2022, 23, 10719. https://doi.org/10.3390/ijms231810719

[9]. Serhan, C.N., Brain, S.D., Buckley, C.D., Gilroy, D.W., Haslett, C., O'Neill, L.A.J., Perretti, M., Rossi, A.G., and Wallace, J.L. (2007) Resolution of inflammation: state of the art, definitions and terms. FASEB J. 21, 325332

[10]. Makoto Arita, Mediator lipidomics in acute inflammation and resolution, The Journal of Biochemistry, Volume 152, Issue 4, October 2012, Pages 313–319, https://doi.org/10.1093/jb/mvs092

[11]. Abbas AB, Lichtman AH (2009). "Ch.2 Innate Immunity". Basic Immunology. Functions and disorders of the immune system (3rd ed.). Saunders/Elsevier. ISBN 978-1-4160-4688-2

[12]. Ross A Catharine, "Impact of chronic and acute inflammation on extra- and intracellular iron homeostasis"The American Journal of Clinical Nutrition, Volume106, Supplement 6, December 2017, https://doi.org/10.3945/ajcn.117.155838 [Google scholar]

[13]. Pahwa R, Goyal A, Bansal P, Jialal I (7 August 2023). "Chronic inflammation".StatPearls, US National Library of Medicine. PMID 29630225.Retrieved 29 December 2024.

[14]. Hube B, Hay R, Brasch J, Veraldi S, Schaller M. Dermatomycoses and inflammation: The adaptive balance between growth, damage, and survival. J Mycol Med. 2015 Mar;25(1):e44-58. doi: 10.1016/j.mycmed.2014.11.002. Epub 2015 Feb 7. PMID: 25662199

[15]. Bhattacharyya S. Inflammation During Virus Infection: Swings and Roundabouts. Dynamics of Immune Activation in Viral Diseases. 2019 Nov 5:43–59. doi: 10.1007/978-981-15-1045-8_3. PMCID: PMC7121364.

[16]. Romani L, Puccetti P. Controlling pathogenic inflammation to fungi. Expert Rev Anti Infect Ther. 2007 Dec;5(6):1007-17. doi: 10.1586/14787210.5.6.1007. PMID: 18039084.

International Journal of Pharmaceutical Research and Applications
Volume 10, Issue 3 May-June 2025, pp: 1720-1727 www.ijprajournal.com
ISSN: 2456-4494

[17]. Haase S, Linker RA. Inflammation in multiple sclerosis. TherAdvNeurolDisord. 2021 Apr 16;14:17562864211007687. doi: 10.1177/17562864211007687. PMID: 33948118; PMCID: PMC8053832.

[18]. Ameer MA, Chaudhry H, Mushtaq J, Khan OS, Babar M, Hashim T, Zeb S, Tariq MA, Patlolla SR, Ali J, Hashim SN, Hashim S. An Overview of Systemic Lupus Erythematosus (SLE) Pathogenesis, Classification, and Management. Cureus. 2022 Oct 15;14(10):e30330. doi: 10.7759/cureus.30330. PMID: 36407159; PMCID: PMC9662848.[Google Scholar] [PubMed

[19]. Dietert RR, DeWitt JC, Germolec DR, Zelikoff JT. Breaking patterns of environmentally influenced disease for health risk reduction: immune perspectives. Environ Health Perspect. 2010;118:1091–1099. doi: 10.1289/ehp.1001971. [DOI] [PMC free article] [PubMed] [Google Scholar]

[20]. Peter Møller *, PernilleHøghDanielsen Oxidative stress and inflammation generatedDNA damage by exposure to air pollution particles. Mutation Research/Reviewsin Mutation Research, Volume 762, October–December 2014, Pages 133-166[PMC free article] [PubMed] [Google Scholar]

[21]. Derouiche Samir, CheradidTaissir, Heavy metals, oxidative stress and inflammation in pathophysiology of chronic kidney disease – a review, Asian Journal of Pharmacy and Technology, 2020; Volume:10, Issue:3 [Google Scholar] [PubMed].

[22]. Fang Wang [a], Yuhong Sun ,Xinyue Luo Dysregulation of immunity by cigarette smoking promotes inflammation and cancer: A review, Environmental Pollution, Volume 339, 15 December 2023, 122730 [CrossRef], Researchgate], [PubMed].

[23]. Xiao Ma, Fang Nan, Hantian Liang, , YanfengHou,Excessive intake of sugar: An accomplice of inflammation, Front Immunol2022 Aug 31;13:988481. doi: 10.3389/fimmu.2022.988481

[24]. Yun-Zi Liu [1], Yun-Xia Wang Inflammation: The Common Pathway of Stress-Related Diseases; Front Hum Neurosci.2017 Jun 20;11:316. doi: 10.3389/fnhum.2017.00316

[25]. Nikolaos G. Frangogiannis, Pathophysiology of Myocardial Infarction, Comprehensive Physiology 2015; Volume 5, Issue 4 [Google Scholar]

[26]. Sumanth D. Prabhu, Nikolaos G. Frangogiannis, The Biological Basis for Cardiac Repair After Myocardial Infarction: From Inflammation to Fibrosis 2016; Volume 119 [Google Scholar] [PubMed].

[27]. Zhang, W.; Peng, D.; Cheng, S.; Ni, R.; Yang, M.; Cai, Y.; Chen, J.; Liu, F.; Liu, Y. Inflammatory Cell-Targeted Delivery Systems for Myocardial Infarction Treatment. Bioengineering 2025, 12, 205. [CrossRef], [PubMed].

[28]. Hanna Anis, Nikolaos G. Frangogiannis, The Role of the TGF-β Superfamily in Myocardial Infarction, Cardiovascular Biologics and Regenerative Medicine 2019; Volume6. [CrossRef], Researchgate], [PubMed].

[29]. Jang JH, Sung JH, Huh JY. Diverse Functions of Macrophages in Obesity and Metabolic Dysfunction-Associated Steatotic Liver Disease: Bridging Inflammation and Metabolism. Immune Netw. 2025 Feb 21;25(1):e12. doi: 10.4110/in.2025.25.e12. PMID: 40078789; PMCID: PMC11896663.

[30]. Dludla PV, Mabhida SE, Ziqubu K, Nkambule BB, Mazibuko-Mbeje SE, Hanser S, Basson AK, Pheiffer C, Kengne AP. Pancreatic β-cell dysfunction in type 2 diabetes: Implications of inflammation and oxidative stress. World J Diabetes. 2023 Mar 15;14(3):130-146. doi: 10.4239/wjd.v14.i3.130. PMID: 37035220; PMCID: PMC10075035.

[31]. Vilotić, A.; Nacka-Aleksić, M.; Pirković, A.; Bojić-Trbojević, Ž.;Dekanski, D.; JovanovićKrivokuća, M. IL-6 and IL-8: An Overview of Their Roles in Healthy and Pathological Pregnancies. Int. J. Mol. Sci. 2022, 23, 14574. https://doi.org/10.3390/ijms232314574 Perreault, L., Skyler, J.S. &Rosenstock, J. Novel therapies with precision mechanisms for type 2 diabetes mellitus. Nat Rev Endocrinol 17, 364–377 (2021). [CrossRef], Researchgate], [PubMed].

[32]. Frank B. Hu, Globalization of diabetes: The role of diet, lifestyle, and genes. Diabetes Care June 2011, 34, 1249–1257, Doi:10:2337/dc11-0442.[Google Scholar] [CrossRef], Researchgate], [PubMed].

[33]. ZhiranJu, Junde Xu, Recent development on COX-2 inhibitors as promising anti-inflammatory agents: The past 10 years, ActaPharmaceuticaSinica B 2022;Volume 12, Issue 6.[Pubmed], [Google Scholar]

[34]. Markovics, A.; Rosenthal, K.S.; Mikecz, K.; Carambula, R.E.; Ciemielewski, J.C.; Zimmerman, D.H. Restoring the Balance between Pro-Inflammatory and Anti-Inflammatory Cytokines in the Treatment of Rheumatoid Arthritis: New Insights from Animal Models. Biomedicines 2022, 10, 44. [Pubmed], [Google Scholar]

[35]. Hao Wang, Xu Liu, Analysis of nanomedicine applications for inflammatory bowel disease: structural and temporal dynamics, research hotspots, and emerging trends, Front.Pharmacol., 2025, Volume 15.[Pubmed], [Google Scholar]

[36]. Popa, M.L.; Ichim, C.; Anderco, P.; Todor, S.B.; Pop-Lodromanean, D. MicroRNAs in the Diagnosis of Digestive Diseases: A Comprehensive Review. J. Clin. Med. 2025, 14, 2054. [Pubmed], [Google Scholar]

[37]. Zahra Shargh, KeyvanAsghari, MortezaAsghariehahari, Combined effect of exercise and curcumin on inflammation-associated microRNAs and cytokines in old male rats: A promising approach against inflammaging. 2025, Volume 11 Issue 2. [Pubmed], [Google Scholar]

HOW TO CITE: Dev Prakash Dahiya, Jyoti Thakur*, Bipasha, Anchal Sankhyan "Inflammation and Its Modulation: Mechanisms, Disease Associations, and Future Therapeutic Directions", Int. J. of Pharm. Research & Application., 2025, Vol 10, Issue 3 May-June, 1720-1727.https://doi.org/10.35629/4494-100317201727