

Nanotechnology in Wound Healing: An Overview of Nanoemulsions and Their Therapeutic Potential

Fitra Fauziah¹, Silvy Aldila²

¹School of Pharmaceutical Science Padang (STIFARM Padang), Padang, West Sumatera, Indonesia, 25147

²Department of Pharmacy, STIKES Telogorejo Semarang, Central Java, Indonesia, 50144

Date of Submission: 05-08-2024

Date of Acceptance: 15-08-2024

ABSTRACT: The wound healing process is a complex biological phenomenon involving the interaction of various cell types, growth factors, and the extracellular matrix. However, certain conditions such as diabetes or severe burns can impede healing, leading to chronic wounds that are difficult to heal. Over the last decade, nanotechnology has emerged as a promising field in pharmaceutical sciences, particularly in the development of nano-based drug delivery systems that enhance the bioavailability and stability of active compounds. Nanoemulsions, with droplet sizes ranging from 20 to 200 nm, have emerged as an innovative technology for wound healing applications due to their ability to enhance the penetration of active compounds through biological membranes and provide controlled drug release. This article reviews the physicochemical characteristics of nanoemulsions, their preparation methods, and their applications in wound healing, including the potential of nanoemulsions in drug delivery, growth factor delivery, maintaining wound moisture, and managing infections. Although they show great potential, challenges such as long-term stability and toxicity evaluation must be addressed to maximize the use of nanoemulsions in wound therapy. Further research is needed to develop smarter and more adaptive nanoemulsion formulations and to expand their applications across different types of wounds.

KEYWORDS: Chronic wounds, drug delivery systems, nanoemulsions, nanotechnology in pharmacy, wound healing.

I. INTRODUCTION

1.1 Introduction to Wound Healing

The process of healing wounds is intricate and involves the interplay of different cell types, growth factors, and the extracellular matrix. The three primary stages of this process are usually characterized by inflammation, proliferation, and remodeling. The inflammatory phase starts as soon

as the wound is made, during which time inflammatory cells like neutrophils and macrophages move to the wounded area to fight infection and remove damaged tissue [1]. During the proliferative phase, new tissue is formed by angiogenesis, which is the process of creating new blood vessels, collagen deposition, and re-epithelialization, which is the process of closing wounds. The last stage, known as remodeling, is when newly generated tissue matures and reorganizes to regain the strength and functionality of the skin [3].

However, under certain conditions, such as diabetes or severe burns, wound healing can be impeded, resulting in chronic wounds that are difficult to heal. Wounds that do not heal properly can cause major consequences such as chronic infection, extensive scarring, and tissue necrosis [4]. As a result, innovative ways to accelerate and improve wound healing are urgently needed in clinical practice.

1.2 Advances in Nanotechnology in Pharmacy

Over the last decade, nanotechnology has emerged as one of the most intriguing fields of research in pharmaceutical sciences. This technology allows for the manipulation of materials at the nanoscale scale, resulting in new features that are not possible with traditional materials. Nanotechnology has made major advances in wound healing, particularly the creation of nano-based medication delivery systems that improve the bioavailability and stability of active compounds [5].

1.3 Introduction to Nanoemulsions

Nanoemulsions are dispersion systems in which the oil phase disperses in water or vice versa, with droplet sizes typically ranging from 20 to 200 nm. Because of the small droplet size, nanoemulsions have higher kinetic stability and are less prone to coalescence and sedimentation than

traditional emulsions [6]. Nanoemulsions can also improve the penetration of active compounds through biological membranes, such as the skin, making them ideal for topical wound healing applications [7].

According to a recent study, nanoemulsions may promote wound healing by a variety of mechanisms, including enhanced active ingredient distribution, wound hydration, and antibacterial activity [8]. This approach also allows for the encapsulation of a wide range of active molecules, from anti-inflammatory medications to regenerative compounds, which can be employed to promote wound healing in a variety of settings, including acute, chronic, and burn wounds [9].

II. CHARACTERISTICS OF NANOEMULSIONS

2.1 Definition and Structure of Nanoemulsions

Nanoemulsions are dispersion systems consisting of two immiscible phases, where one phase is dispersed in the form of nanometer-sized droplets within the other phase. Typically, nanoemulsions are composed of an oil phase dispersed in water (O/W) or water dispersed in oil (W/O). The droplet size in nanoemulsions usually ranges from 20 to 200 nm, which imparts unique physicochemical properties not found in conventional emulsions [10].

2.2 Physical and Chemical Properties of Nanoemulsions

The small droplet size in nanoemulsions provides several significant advantages, including high transparency, higher kinetic stability, and the ability to enhance the solubility of hydrophobic active substances. Enhanced kinetic stability in nanoemulsions means that smaller droplets are more stable against coalescence and sedimentation, which is typically a problem in emulsions with larger droplet sizes [11].

Other benefits include better penetration through biological membranes, such as the skin, because the small size allows droplets to pass through trans-epidermal routes more easily. This makes nanoemulsions an efficient drug delivery system for topical and transdermal applications [12]. Additionally, the optical properties of nanoemulsions, resulting in high transparency, make them very useful in cosmetic and pharmaceutical products where aesthetic appearance is also a consideration [13].

2.3 Methods of Preparing Nanoemulsions

Several methods are used to produce nanoemulsions, including high-energy and low-energy methods. High-energy methods involve using equipment such as high-pressure homogenizers, ultrasonication, and microfluidizers to produce very small droplet sizes [14]. These methods are commonly used in industry due to their ability to generate nanoemulsions with uniform droplet sizes and high stability.

In contrast, low-energy methods utilize changes in chemical composition or environmental conditions to facilitate droplet formation without requiring large mechanical energy. These methods include spontaneous emulsification, phase inversion, and repeated emulsification, which are more energy-efficient and often used in pharmaceutical applications [15].

2.4 Application of Nanoemulsions in Wound Healing

In the context of wound healing, nanoemulsions have proven to be highly effective delivery systems for various active substances used in wound therapy. Nanoemulsions can encapsulate compounds such as anti-inflammatory agents, antimicrobial agents, and growth factors, which can then be released gradually at the wound site to enhance the healing process [16]. Research also shows that nanoemulsions can help maintain a moist wound environment, which is essential for epithelialization and preventing scar formation [17].

Furthermore, several studies have confirmed that nanoemulsions possess significant antimicrobial effects, which are crucial for managing infected or at-risk wounds [18]. This is especially important for chronic wounds, such as diabetic ulcers, where the risk of infection often poses a major barrier to healing [19].

III. APPLICATIONS OF NANOEMULSIONS IN WOUND HEALING

3.1 Ability of Nanoemulsions to Enhance Wound Healing

Nanoemulsions have shown significant potential in enhancing wound healing through various mechanisms. One of the main benefits of nanoemulsions is their ability to increase the bioavailability of the active substances contained within them. The small droplet size allows active substances to reach deeper layers of the skin and

tissue, which can accelerate the healing process [20].

3.2 Drug and Growth Factor Delivery

A primary application of nanoemulsions in wound healing is as a delivery system for drugs and growth factors. Nanoemulsions can encapsulate various active substances such as anti-inflammatory agents, antibiotics, and growth factors required for the healing process. For example, nanoemulsions containing epidermal growth factor (EGF) or fibroblast growth factor (FGF) have shown significant improvements in tissue regeneration and wound healing in animal models [21,22].

Moreover, nanoemulsions can be used to deliver anti-inflammatory drugs and antibiotics effectively to the wound site. Studies have shown that nanoemulsions containing anti-inflammatory drugs such as diclofenac or ibuprofen can reduce inflammation and pain, as well as improve wound healing [23]. The use of nanoemulsions also allows for topical delivery of antibiotics to address wound infections without systemic side effects often associated with oral administration [24].

3.3 Maintaining Wound Moisture and Infection Management

Maintaining wound moisture is a crucial factor in the healing process. Nanoemulsions can help maintain a moist wound environment by forming a protective layer that prevents drying and crust formation. This is particularly important for optimal wound healing, especially in chronic wounds or burn wounds, where adequate moisture can accelerate tissue regeneration and reduce scar formation [25].

Additionally, nanoemulsions have significant antimicrobial potential. Some studies show that nanoemulsions containing antimicrobial agents can kill or inhibit the growth of pathogenic bacteria at the wound site. For example, nanoemulsions containing essential oils or other antibacterial compounds have been effective against infection-causing bacteria such as *Staphylococcus aureus* and *Pseudomonas aeruginosa* [26,27].

3.4 Case Studies and Clinical Applications

Various clinical and preclinical studies have evaluated the effectiveness of nanoemulsions in wound healing. For instance, research conducted on patients with diabetic ulcers shows that nanoemulsions containing plant extracts with regenerative activity can accelerate wound healing

and improve patient quality of life [28]. Similarly, the application of nanoemulsions in burn wound treatment has helped accelerate healing and reduce pain [29].

Other research has shown that nanoemulsions can be used for dermatological applications, such as in cosmetic products designed to repair and protect the skin from environmental damage. Nanoemulsions in cosmetic products not only help deliver active ingredients like vitamins C and E but also improve skin appearance by providing better hydration [30].

IV. CHALLENGES AND FUTURE PERSPECTIVES OF NANOEMULSIONS IN WOUND HEALING

4.1 Challenges in Nanoemulsion Development

Despite the many advantages of nanoemulsions in wound healing applications, several challenges need to be addressed to maximize their potential. One major challenge is the long-term stability of nanoemulsions. Although nanoemulsions are generally more stable than conventional emulsions, they are still susceptible to changes in droplet size and fluctuations that can affect product efficacy [31]. This stability is influenced by various factors, including system composition, preparation methods, and storage conditions [32].

Another challenge is the potential toxicity of the materials used in nanoemulsions. Some nanomaterials, such as metal nanoparticles or polymers, may have toxic effects if not carefully selected and designed [33]. Therefore, comprehensive toxicity evaluation and long-term safety assessment of nanoemulsions are crucial before their clinical use [34].

4.2 Regulation and Product Approval

Regulation and approval of nanoemulsion products are also significant challenges. Regulatory agencies in various countries require detailed data on the safety, efficacy, and quality of nanoemulsion products before they are approved for clinical use [35]. This approval process often requires extensive studies, including preclinical and clinical trials, and documentation showing that the product meets safety and efficacy standards [36].

4.3 Future Perspectives

In the future, research and development in the field of nanoemulsions are expected to continue with a focus on several key areas. One promising

area is the development of smarter and more adaptive nanoemulsions that can respond to changes in the wound environment or biological signals to regulate active substance release dynamically [37]. This technology could improve therapeutic efficacy by targeting drug delivery more precisely and in a controlled manner [38].

4.3 Integration with Other Technologies

Integration of nanoemulsions with other technologies, such as gene therapy and nanorobotics, is also an exciting research area. Nanoemulsions could be combined with gene delivery systems to carry genetic material that can repair or modify wound healing responses at the cellular level [39]. Nanorobotics, on the other hand, could work alongside nanoemulsions to provide more precise therapy and optimize local wound healing processes [40].

4.4 Broader Applications in Various Types of Wounds

Further research is expected to expand the application of nanoemulsions to various types of wounds and clinical conditions. More in-depth research is needed to evaluate the effectiveness of nanoemulsions in different clinical contexts and to understand the underlying mechanisms of how nanoemulsions affect wound healing processes under various conditions [41].

V. CONCLUSION

Nanoemulsions have emerged as a highly promising technology in the field of wound healing, offering various advantages over traditional drug delivery systems. With their very small droplet size, nanoemulsions can enhance the stability of active substances, improve skin penetration, and provide more controlled drug release. Existing research and clinical applications show that nanoemulsions can accelerate wound healing, improve patient quality of life, and provide effective solutions for various types of wounds, including chronic wounds, burns, and diabetic ulcers.

The use of nanoemulsions in wound therapy offers additional benefits such as improved moisture retention and antimicrobial activity, which are crucial for managing infected or at-risk wounds. This technology also allows for the effective delivery of growth factors and anti-inflammatory drugs, which can enhance the healing process and reduce scar formation.

However, several challenges remain to maximize the potential of nanoemulsions, including long-term stability issues, potential toxicity, and complex regulatory processes. Further research is needed to address these issues and develop smarter and more adaptive nanoemulsion formulations.

REFERENCES

- [1]. Rodrigues, M.; Kosaric, N.; Bonham, CA.; Gurtner, GC., 2019, "Wound healing: A cellular perspective", *Physiol Rev.*, 99(1), 665-706.
- [2]. O'Kane, S.; Ferguson, MW., 2022, "Transforming growth factor beta s and wound healing", *Int J Biochem Cell Biol.*, 135, 106073.
- [3]. Rousselle, P.; Montmasson, M.; Garnier, C., 2019, "Extracellular matrix contribution to skin wound re-epithelialization", *Matrix Biol.*, 75-76, 12-26.
- [4]. Demidova-Rice, TN.; Hamblin, MR.; Herman, IM., 2012, "Acute and impaired wound healing: Pathophysiology and current methods for drug delivery, part 1: Normal and chronic wounds: biology, causes, and approaches to care", *Adv Skin Wound Care*, 25(7), 304-14.
- [5]. Mazayan, ZM.; Ghoneim, AM.; Elbatanony, RS.; Basalious, EB.; Bendas, ER., 2022, "Pharmaceutical nanotechnology: From the bench to the market", *Futur J Pharm Sci*, 8(1):12.
- [6]. Mason, TG.; Wilking, JN.; Meleson, K.; Chang, CB.; Graves, SM., 2006, "Nanoemulsions: formation, structure, and physical properties", *J Phys Condens Matter*, 18(41).
- [7]. Shakeel, F.; Baboota, S.; Ahuja, A.; Ali, J.; Shafiq, S.; Chaudhry, R., 2007, "Nanoemulsions as vehicles for transdermal delivery of aceclofenac", *AAPS PharmSciTech*, 8(4), 191-9.
- [8]. Dasgupta, N.; Ranjan, S.; Mundekkad, D.; Ramalingam, C.; Shanker, R.; Kumar, A., 2015, "Nanotechnology in agro-food: From field to plate", *Food Res Int.*, 69:381-400.
- [9]. Radomska, A.; Leszczyszyn, J.; Radomski, MW., 2016, "The nanopharmacology and nanotoxicology of nanomaterials: New opportunities and challenges", *Adv Clin Chem*, 73, 241-96.

- [10]. Mushtaq, A.; Wani, SM.; Malik, AR.; Gull, A.; Ramniwas, S.; Nayik, GA.; Ercisli, S.; Marc, RA.; Ullah, R.; Bari, A., 2023, "Recent insights into nanoemulsions: Their preparation, properties and applications, Food Chemistry: X, 18, 100684.
- [11]. Cevc, G.; Blume, G., 2004, "Lipid vesicles and other colloids as drug carriers on the skin", Adv Drug Deliv Rev, 56(5), 675-711.
- [12]. J Changediya, VV.; Jani, R.; Kakde, P., 2019, "A review on nanoemulsions: A recent drug delivery tool", J Drug Deliv Ther, 9(5), 185-191.
- [13]. Preeti; Sambhakar, S.; Malik, R.; Bhatia, S.; Al Harrasi, A.; Rani, C.; Saharan, R.; Kumar, S.; Geeta; Sehrawat, R., 2023, "Nanoemulsions: An emerging novel technology for improving the bioavailability of drugs", Scientifica, 2023, 6640103.
- [14]. Gupta, A.; Eral, HB.; Hatton, TA.; Doyle, PS., 2016, "Nanoemulsions: Formation, properties and applications", Soft Matter, 12(11), 2826-41.
- [15]. Bamisaye, A.; Adegoke, KA.; Alli, YA.; Bamidele, MO.; Idowu, MA.; Ogunjinmi, OE., 2023, "Recent advances in nanoemulsion for sustainable development of farm to fork systems", J Clean Prod, 429, 139226.
- [16]. Mahmood, WS.; Al-Jumaili, EFA., 2022, "Pharmaceutical nano-delivery systems: A Review", Indian J Forensic Med Toxicol, 16(2), 433-439.
- [17]. Chhabra, J.; Chopra, H.; Pahwa, R.; Raina, N.; Wadhwa, K.; Saini, S.; Negi, P.; Gupta, M.; Singh, I.; Dureja, H.; Emran, TB., 2023, "Potential of nanoemulsions for accelerated wound healing: Innovative strategies", Int J Surg, 109, 2365-2377.
- [18]. Shaheedha, SM., 2022, "Application of nanoemulsion for the wound healing process", 28.
- [19]. Bellu, E.; Medici, S.; Coradduzza.; Cruciani, S.; Amler, E.; Maioli, M., 2021, "Nanomaterials in skin regeneration and rejuvenation", Int J Mol Sci, 22(13), 7095.
- [20]. Malik, S.; Muhammad, K.; Waheed, Y., 2023, "Emerging applications of nanotechnology in healthcare and medicine", Molecules, 28(18), 6624.
- [21]. Sharma, G.; Saroha, K.; Arora, S.; Bansal, P.; Singla, S., 2020, "A review on nanoemulsions: An innovative drug delivery system", J Pharm Res, 14(4), 429-40.
- [22]. Verma, NK.; Singh, AK.; Yadav, V.; Mall, PC.; Jaiswal, R., 2019, "A review on nanoemulsion based drug delivery system", Int J Pharm Pharm Sci, 1(1), 30-38.
- [23]. Shadab; Alhakamy, NA.; Aldawsari, HM.; Kotta, S.; Ahmad, J.; Akhter, S.; Alam, S.; Khan, MA.; Awan, Z.; Sivakumar, PM., 2020, "Improved analgesic and anti-inflammatory effect of diclofenac sodium by topical nanoemulgel: Formulation development- in vitro and in vivo studies", J Chem, 1, 4071818.
- [24]. Wilson, AJ.; Li, Y.; Yang, G.; Zhao, CX., 2022, "Nanoemulsions for drug delivery", Patricuology, 64, 85-97.
- [25]. Liu, M.; Wei, X.; Zheng, Z.; Li, Y.; Li, M.; Lin, J.; Yang, L., 2023, "Recent advances in nano-drug delivery systems for the treatment of diabetic wound healing", Int J Nanomedicine, 18, 1537-1560.
- [26]. Begum, S.; Sahu, P.; Vinode, R.; Patel, A.; Alomary, MN.; Begum, MY.; Jamous, YF.; Siddiqua, A.; Al Fatease, A.; Ansari, MA., 2024, "Antimicrobial nanoemulsion: A futuristic approach in antibacterial drug delivery system", J Saudi Chem Soc, 28, 101896.
- [27]. Sangnim, T.; Puri, V.; Dheer, D.; Venkatesh, DN.; Huanbutta, K.; Sharma, A., 2024, "Nanomaterials in the wound healing process: New insights and advancements", Pharmaceutics, 16(3), 300.
- [28]. Hayati, F.; Ramadani, AP.; Putri, CA.; Chabib, L.; Putri, FU., Nugroho, AE., 2024, "A wound-healing effect of nanoemulgel of kangkung (*Ipomoea reptans*Poir) leaf extract in STZ diabetic rats", J Pharm Bioallied Sci, 16(2), 51-59.
- [29]. Kumari, M.; Nanda, DK., 2023, "Potential of curcumin nanoemulsion as antimicrobial and wound healing agent in burn wound infection", Burns, 49(5), 1003-1016.
- [30]. Souto, EB.; Cano, A.; Martin-Gomes, C.; Coutinho, TE.; Zielinska, A.; Silva, AM., 2022, "Microemulsions and

- nanoemulsions in skin drug delivery”, *Bioengineering (Basel)*, 9(4), 158.
- [31]. Mushtaq, A.; Wani, SM.; Malik, AR.; Gull, A.; Ramniwas, S.; Nayik, GA.; Ercisli, S.; Marc, RA.; Ullah, R.; Bari, A., 2023, “Recent insights into nanoemulsions: Their preparation, properties, and applications”, *Food Chem X*, 18, 100684.
- [32]. de Oca-Avalos, JMM.; Candal, RJ.; Herrera, ML., 2017, “Nanoemulsions: Stability and physical properties”, *Curr Opin Food Sci*, 16, 1-6.
- [33]. Rehan, F.; Zhang, M.; Fang, J.; Greish, K., 2024, “Therapeutic applications of nanomedicine: recent developments and future perspectives”, *Molecules*, 29(9), 2073.
- [34]. Wani, TA.; Masodi, FA.; Jafari, SM.; McClements, DJ., 2018, “Safety of nanoemulsions and their regulatory status”, *Nanoemulsions*, 613-628.
- [35]. Kumari, R.; Suman, K.; Karmakar, S.; Mishra, V.; Lakra, SG.; Saurav, GK.; Mahto, BK., 2023, “Regulation and safety measures for nanotechnology-based agri-products”, *Front Genome Ed*, 5, 1200987.
- [36]. Qin, W.; Wu, Y.; Liu, J.; Yuan, X.; Gao, J., 2022, “A comprehensive review of the application of nanoparticles in diabetic wound healing: Therapeutic potential and future perspectives”, *Int J Nanomed*, 2022, 6007-6029.
- [37]. Ashaolu, TJ., 2021, “Nanoemulsions for health, food, and cosmetics: A review”, *Environ Chem Lett*, 19(2), 3381-3395.
- [38]. Gupta, A.; Eral, HB.; Hatton, TA.; Doyle, PS., 2016, “Nanoemulsions: Formation, properties and applications”, *Soft Matter*, 12(11), 2826-41.
- [39]. Cevc, G.; Blume, G., 2004, “Lipid vesicles and other colloids as drug carriers on the skin”, *Adv Drug Deliv Rev*, 56(5), 675-711.
- [40]. Halnor, VV.; Pande, VV.; Borawake, DD.; Nagare, HS., 2018, “Nanoemulsion: A novel platform for drug delivery system”, *J Mater Sci Technol*, 6(1), 104.
- [41]. Yukuyama, MN.; Kato, ETM.; Lobenberg, R.; Bou-Chacra, NA., 2017, “Challenges and future prospects of nanoemulsions as a drug delivery system”, *Curr Pharm Des*, 23(3), 495-508.